

List of Figures

- Fig.1.1:** World – energy consumption using various energy resources
- Fig. 1.2:** Working of a photovoltaic device
- Fig.1.3:** Comparison of Flat-plate and concentrator PV systems
- Fig. 1.4:** Schematics of the formation of Single-crystal silicon using Czochralski method
- Fig. 1.5:** Flexible Polycrystalline silicon
- Fig. 1.6:** Schematics of a Dye-Sensitized Solar Cell
- Fig. 1.7:** Chemical Structure of P3HT [13]
- Fig. 2.1:** Schematic of the apparatus used during synthesis of different nanoparticles
- Fig. 2.2:** La Mer Diagram for the mechanism of colloidal nanoparticles
- Fig. 2.3:** (a) A typical absorption spectrum (b) absorption involving two energy states E1 and E2.
- Fig. 2.4:** Various processes involved during the interaction of light with an optical Filter
- Fig. 2.5:** Schematic layout of an UV-Visible spectrometer
- Fig. 2.6:** Photograph of a spectrophotometer
- Fig. 2.7:** Sketch of the basic processes involved in a typical luminescence experiment in optically excited semiconductors
- Fig. 2.8:** Home assembled PL system at NPL Delhi
- Fig. 2.9:** Combined steady state and Lifetime Spectrometer Model no.FLSP 900(Edinburg)
- Fig. 2.10:** Schematic diagram showing Bragg diffraction from a set of planes
- Fig. 2.11:** Siemens D-500 X-Ray diffractometer at NPL
- Fig. 2.12:** Interaction of high energy electrons with solid
- Fig. 2.13:** Zeiss EVO MA-10 variable pressure SEM at NPL
- Fig. 2.14:** Transmission Electron Microscope
- Fig. 2.15:** Perkin Elmer FTIR system
- Fig. 3.1:** Thermo gravimetric Analysis and Differential Scanning Calorimetry of Cadmium ethylxanthate precursor
- Fig. 3.2:** Photoluminescence spectra of CdS at room Temperature

- Fig. 3.3:** UV plot of CdS at different conditions –OLA Route (inset shows Tauc's plot) (a)-Room Temperature (b)-60⁰ (c)-80⁰C (d)-120⁰C (e)-150⁰C
- Fig. 3.4:** UV plot of CdS at different conditions –Pyridine Route(inset shows Tauc's plot) (a)-80⁰C (b)-120⁰C
- Fig. 3.5:** X-ray diffraction pattern of CdS nanoparticles synthesized using Cd (C₂H₅OCS₂)₂ at 120⁰C stabilized for 30 minutes.
- Fig. 3.6:** X-ray diffraction pattern of CdS nanoparticles synthesized using Cd (C₂H₅OCS₂)₂ at 80⁰C stabilized for 30 minutes
- Fig. 3.7:** Thermo Gravimetric Analysis and Differential Scanning Calorimetry of Zinc ethylxanthate precursor
- Fig. 3.8:** FTIR spectra for ZnS
- Fig. 3.9:** EDS pattern for ZnS
- Fig. 3.10:** UV Plot of ZnS at different conditions OF ZnS(inset Tauc's plot) (a)-80⁰C (b)-100⁰C (c)- 120⁰C
- Fig. 3.11:** PL spectra of ZnS nanocrystals
- Fig. 3.12:** X-ray diffraction pattern of ZnS nanoparticles synthesized at 120⁰C stabilized for 30 minutes
- Fig. 4.1:** Thermogravimetric Analysis and Differential Scanning Calorimetry of Lead ethylxanthate Precursor
- Fig. 4.2:** Thermo gravimetric Analysis and Differential Scanning Calorimetry of Cadmium Lead ethylxanthate precursor
- Fig. 4.3:** Absorption spectra of PbS and Different concentrations of CdPbS deposited at 120⁰C
- Fig. 4.4:** Estimation of band gap from Tauc's Plot
- Fig. 4.5:** X-ray diffraction spectra of (i) (a)CdS (b)10% CbPdS (c)20%CdPbS (d)30%CdPbS nanocrystalline thin films deposited at a temperature of 120⁰C . (ii) X-ray diffraction spectra of PbS deposited at a temperature of 120⁰C
- Fig. 4.6:** EDS spectrum of CdPbS
- Fig. 4.7:** EDS spectrum of PbS
- Fig. 4.8:** SEM Images of (a)PbS (b) CdPbS prepared at 120⁰C
- Fig. 4.9:** (a), (b)TEM Images of 30%PbS doped in CdS (c)-HRTEM images of CdPbS nanocrystals (d)-SAED pattern of CdPbS nanocrystals
- Fig. 5.1:** FTIR spectra of CdS nanoparticles in P3HT and P3HT

Fig. 5.2: Absorption spectra (inset shows Taucs plot) of P3HT and P3HT-CdS nanocomposites films synthesized at different ratio of P3HT and CdS (a) P3HT (b) P3HT with CdS 1:1 (c) P3HT with CdS 1:2 (d) P3HT with CdS 1:4 (e) P3HT with CdS 1:8

Fig. 5.3: PL spectra of P3HT and P3HT-CdS nanocomposites synthesized at different ratio of P3HT and CdS (a) P3HT (b) P3HT with CdS 1:1 (c) P3HT with CdS 1:2 (d) P3HT with CdS 1:4 (e) P3HT with CdS 1:8

Fig. 5.4: Time Resolved Fluorescence studies of P3HT and P3HT with CdS

Fig. 5.5: XRD Spectra of P3HT-CdS nanocomposite at different concentrations

Fig. 5.6: SEM micrographs and EDS of CdS nanoparticles in P3HT

Fig. 5.7: AFM Images of P3HT and P3HT-CdS nanocomposite

Fig. 5.8: (a) TEM images of the synthesized P3HT-CdS (1:4) at 120 °C (b)-HRTEM images of P3HT-CdS (c)-SAED Pattern of P3HT- CdS

Fig. 5.9: FTIR spectra of CdPbS nanoparticles in P3HT and P3HT

Fig. 5.10: (A) Absorption spectra (inset shows Tauc's plot) of P3HT and P3HT-CdPbS nanocomposites films synthesized at different ratio of P3HT and CdPbS (a) P3HT (b) P3HT with CdPbS 1:1 (c) P3HT with CdPbS 1:2 (d) P3HT with CdPbS 1:4 (e) P3HT with CdPbS 1:8

Fig. 5.11: (a) PL spectra of P3HT and P3HT-CdPbS nanocomposites synthesized at different ratio of P3HT and CdPbS (a) P3HT (b) P3HT with CdPbS 1:1 (c) P3HT with CdPbS 1:2 (d) P3HT with CdPbS 1:4 (e) P3HT with CdPbS 1:8

Fig.5.12: TRF spectra for P3HT and P3HT with CdPbS

Fig. 5.13: XRD spectra of P3HT with different ratios of CdPbS i.e 1:1, 1:2,1:4,1:8

Fig. 5.14: (a) TEM images of the synthesized P3HT-CdPbS (1:8) at 120 °C(inset shows HRTEM image) (b)TEM image of P3HT-CdPbS(inset shows SAED Pattern of P3HT- CdPbS)

Fig.6.1: Thermogravimetric Analysis and Differential Scanning Calorimetry of (a) Copper Diethyldithiocarbamate (b) Zinc Diethyldithiocarbamate (c) Tin Diethyldithiocarbamate

Fig. 6.2: FTIR Spectra for CZTS

Fig.6.3: Absorption spectra of CZTS prepared at different conditions

Fig. 6.4: Estimation of band gap from Tauc's Plot.

- Fig.6.5:** Emission intensity profiles of P3HT-nanoparticle composite in chloroform in the presence of different concentrations CZTS prepared at two different conditions
- Fig. 6.6:** Emission intensity profile as a function of concentration of CZTS for P3HT: CZTS composite prepared at different conditions
- Fig. 6.7:** Stern Volmer plots of P3HT: CZTS nanocomposite prepared at different Conditions
- Fig. 6.8:** TRF Spectra for P3HT and P3HT-CZTS (at different conditions)
- Fig. 6.9:** XRD diffraction pattern of CZTS prepared at different conditions
- Fig. 6.10:** SEM images of CZTS
- Fig. 6.11:** EDS pattern for CZTS
- Fig. 6.12:** (a) TEM image of kesterite type CZTS (b)HRTEM image of kesterite type CZTS (c)SAED pattern of CZTS
- Fig. 6.13:** UV plot of Wurtzite type $\text{Cu}_2\text{ZnSnS}_4$ colloidal nanocrystals
- Fig. 6.14:** Taucs plot of Wurtzite type $\text{Cu}_2\text{ZnSnS}_4$ colloidal nanocrystals
- Fig. 6.15:** XRD Spectra of Wurtzite type $\text{Cu}_2\text{ZnSnS}_4$ colloidal nanocrystals
- Fig. 6.16:** (a), (b) TEM images of Wurtzite type $\text{Cu}_2\text{ZnSnS}_4$ colloidal nanocrystals (c) HRTEM images of Wurtzite type CZTS (d) SAED pattern of wurtzite type CZTS